	•	23 SEQUENCE LISTING
	(1) GE	NERAL INFORMATION:
5	(<u>į</u>)	APPLICANT: Eaton, Dan L. de Sauvage, Frederic J.
	(ii)	TITLE OF INVENTION: MPL LIGAND
10	(iii)	NUMBER OF SEQUENCES: 30
15	(iv)	CORRESPONDENCE ADDRESS: (A) ADDRESSEE: Genentech, Inc. (B) STREET: 460 Point San Bruno Blvd (C) CITY: South San Francisco (D) STATE: California (E) COUNTRY: USA (F) ZIP: 94080
20	(v)	COMPUTER READABLE FORM: (A) MEDIUM TYPE: 3.5 inch, 1.44 Mb floppy disk (B) COMPUTER: IBM PC compatible (C) OPERATING SYSTEM: PC-DOS/MS-DOS (D) SOFTWARE: WinPatin (Genentech)
25	(vi)	CURRENT APPLICATION DATA: (A) APPLICATION NUMBER: 08/422548 (B) FILING DATE: 13-Apr-1995 (C) CLASSIFICATION:
30	(vii)	PRIOR APPLICATION DATA: (A) APPLICATION NUMBER: 08/223263 (B) FILING DATE: 04-APR-1994
35	(vii)	PRIOR APPLICATION DATA: (A) APPLICATION NUMBER: 08/196689 (B) FILING DATE: 15-FEB-1994
40	(vii)	PRIOR APPLICATION DATA: (A) APPLICATION NUMBER: 08/185607 (B) FILING DATE: 21-JAN-1994
45	(vii)	PRIOR APPLICATION DATA: (A) APPLICATION NUMBER: 08/176553 (B) FILING DATE: 03-JAN-1994
50	(viii)	ATTORNEY/AGENT INFORMATION: (A) NAME: Winter, Daryl B. (B) REGISTRATION NUMBER: 32,637 (C) REFERENCE/DOCKET NUMBER: P0871P3D1

(ix) TELECOMMUNICATION INFORMATION:

(2) INFORMATION FOR SEQ ID NO:1: 5 (i) SEOUENCE CHARACTERISTICS: (A) LENGTH: 353 amino acids (B) TYPE: Amino Acid 10 (D) TOPOLOGY: Linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1: Met Glu Leu Thr Glu Leu Leu Val Val Met Leu Leu Thr 15 -21 -20 Ala Arg Leu Thr Leu Ser Ser Pro Ala Pro Pro Ala Cys Asp Leu 1 Arq Val Leu Ser Lys Leu Leu Arg Asp Ser His Val Leu His Ser 20 Arg Leu Ser Gln Cys Pro Glu Val His Pro Leu Pro Thr Pro Val 25 Leu Leu Pro Ala Val Asp Phe Ser Leu Gly Glu Trp Lys Thr Gln Met Glu Glu Thr Lys Ala Gln Asp Ile Leu Gly Ala Val Thr Leu 30 55 Leu Leu Glu Gly Val Met Ala Ala Arg Gly Gln Leu Gly Pro Thr Cys Leu Ser Ser Leu Leu Gly Gln Leu Ser Gly Gln Val Arg Leu 35 Leu Leu Gly Ala Leu Gln Ser Leu Leu Gly Thr Gln Leu Pro Pro 100 105 110 40 Gln Gly Arg Thr Thr Ala His Lys Asp Pro Asn Ala Ile Phe Leu 115 120 125 Ser Phe Gln His Leu Leu Arg Gly Lys Val Arg Phe Leu Met Leu 45 135 Val Gly Gly Ser Thr Leu Cys Val Arg Arg Ala Pro Pro Thr Thr 150 Ala Val Pro Ser Arg Thr Ser Leu Val Leu Thr Leu Asn Glu Leu 50 160 165 170

(A) TELEPHONE: 415/225-1249 (B) TELEFAX: 415/952-9881 (C) TELEX: 910/371-7168

	Pro Asn Arg Thr Ser Gly Leu Leu Glu Thr Asn Phe Thr Ala Ser 175 180 185
5	Ala Arg Thr Thr Gly Ser Gly Leu Leu Lys Trp Gln Gln Gly Phe 190 . 195 200
	Arg Ala Lys Ile Pro Gly Leu Leu Asn Gln Thr Ser Arg Ser Leu 205 215
10	Asp Gln Ile Pro Gly Tyr Leu Asn Arg Ile His Glu Leu Leu Asn 220 225 230
1 5	Gly Thr Arg Gly Leu Phe Pro Gly Pro Ser Arg Arg Thr Leu Gly 235 240 245
15	Ala Pro Asp Ile Ser Ser Gly Thr Ser Asp Thr Gly Ser Leu Pro 250 255 260
20	Pro Asn Leu Gln Pro Gly Tyr Ser Pro Ser Pro Thr His Pro Pro 265 270 275
	Thr Gly Gln Tyr Thr Leu Phe Pro Leu Pro Pro Thr Leu Pro Thr 280 290
25	Pro Val Val Gln Leu His Pro Leu Leu Pro Asp Pro Ser Ala Pro 295 300 305
	Thr Pro Thr Pro Thr Ser Pro Leu Leu Asn Thr Ser Tyr Thr His 310 315 320
30	Ser Gln Asn Leu Ser Gln Glu Gly 325 330 332
35	(2) INFORMATION FOR SEQ ID NO:2:
	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 1795 base pairs(B) TYPE: Nucleic Acid
40	(C) STRANDEDNESS: Single (D) TOPOLOGY: Linear
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:
45	TCTTCCTACC CATCTGCTCC CCAGAGGGCT GCCTGCTGTG CACTTGGGTC 50
	CTGGAGCCCT TCTCCACCCG GATAGATTCC TCACCCTTGG CCCGCCTTTG 100
50	CCCCACCCTA CTCTGCCCAG AAGTGCAAGA GCCTAAGCCG CCTCCATGGC 150
	CCCAGGAAGG ATTCAGGGGA GAGGCCCCAA ACAGGGAGCC ACGCCAGCCA

	GAC	ACCC	CGG (CCAG	A	Met		GAA Glu		239
5					CTC Leu					278
10					CCT Pro 5					317
15					GAC Asp					356
20					GAG Glu					395
20					GTG Val					434
25					GAG Glu					473
30					CTG Leu 70					512
35					CCC Pro					551
4.0					CAG Gln		 	 	 	 590
40					GGA Gly					629
45					AAG Lys					668
50					CTC Leu 135					707

						GCC Ala 155	CCA Pro	746
5						GTC Val	CTC Leu	785
10						TTG Leu	TTG Leu	824
15						GGC Gly	TCT Ser 195	863
20						AAG Lys	ATT Ile	902
20						GAC Asp 220	CAA Gln	941
25						TTG Leu	AAT Asn	980
30						AGG Arg		1019
35						GAC Asp		1058
						TCT Ser		1097
40						CTC Leu 285		1136
45						CAG Gln		1175
50						CCC Pro		1214

CCT ACC AGC CCT CTT CTA AAC ACA TCC TAC ACC CAC TCC 1253 Pro Thr Ser Pro Leu Leu Asn Thr Ser Tyr Thr His Ser 315 320 325 5 CAG AAT CTG TCT CAG GAA GGG T AAGGT TCTCAGACAC 1290 Gln Asn Leu Ser Gln Glu Gly 332 330 10 CCTGGGAGAC AACTGGACAA GATTTCCTAC TTTCTCCTGA AACCCAAAGC 1390 CCTGGTAAAA GGGATACACA GGACTGAAAA GGGAATCATT TTTCACTGTA 1440 CATTATAAAC CTTCAGAAGC TATTTTTTA AGCTATCAGC AATACTCATC 1490 15 AGAGCAGCTA GCTCTTTGGT CTATTTTCTG CAGAAATTTG CAACTCACTG 1540 ATTCTCTACA TGCTCTTTTT CTGTGATAAC TCTGCAAAGG CCTGGGCTGG 1590 20 CCTGGCAGTT GAACAGAGGG AGAGACTAAC CTTGAGTCAG AAAACAGAGA 1640 AAGGGTAATT TCCTTTGCTT CAAATTCAAG GCCTTCCAAC GCCCCCATCC 1690 CCTTTACTAT CATTCTCAGT GGGACTCTGA TCCCATATTC TTAACAGATC 1740 25 **AAAAA** 1795 30 (2) INFORMATION FOR SEQ ID NO:3: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 42 amino acids 35 (B) TYPE: Amino Acid (D) TOPOLOGY: Linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3: 40 Leu Leu Val Val Met Leu Leu Thr Ala Arg Leu Thr Leu -16 -15 -10 Ser Ser Pro Ala Pro Pro Ala Cys Asp Leu Arg Val Leu Ser Lys 1 45 Leu Leu Arg Asp Ser His Val Leu His Ser Arg Leu 15 20 (2) INFORMATION FOR SEQ ID NO:4: 50 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 390 base pairs

(C) STRANDEDNESS: Single (D) TOPOLOGY: Linear 5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4: GAATTCCTGG AATACCAGCT GACAATGATT TCCTCCTCAT CTTTCAACCT 50 TTG CTC CTC GTG GTC ATG CTT 91 10 CACCTCTCCT CATCTAAGAA Leu Leu Val Val Met Leu -16 -15 -10 CTC CTA ACT GCA AGG CTA ACG CTG TCC AGC CCG GCT CCT 130 Leu Leu Thr Ala Arq Leu Thr Leu Ser Ser Pro Ala Pro 15 CCT GCT TGT GAC CTC CGA GTC CTC AGT AAA CTG CTT CGT 169 Pro Ala Cys Asp Leu Arg Val Leu Ser Lys Leu Leu Arg 20 10 GAC TCC CAT GTC CTT CAC AGC AGA CTG GTGA GAACTCCCAA 210 Asp Ser His Val Leu His Ser Arg Leu 20 25 26 25 CATTATCCCC TTTATCCGCG TAACTGGTAA GACACCCATA CTCCCAGGAA 260 GACACCATCA CTTCCTCTAA CTCCTTGACC CAATGACTAT TCTTCCCATA 310 TTGTCCCCAC CTACTGATCA CACTCTCTGA CAAGAATTAT TCTTCACAAT 360 30 ACAGCCCGCA TTTAAAAGCT CTCGTCTAGA 390 (2) INFORMATION FOR SEQ ID NO:5: 35 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 390 base pairs (B) TYPE: Nucleic Acid (C) STRANDEDNESS: Single (D) TOPOLOGY: Linear 40 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5: 45 TCTAGACGAG AGCTTTTAAA TGCGGGCTGT ATTGTGAAGA ATAATTCTTG 50 TCAGAGAGTG TGATCAGTAG GTGGGGACAA TATGGGAAGA ATAGTCATTG 100 GGTCAAGGAG TTAGAGGAAG TGATGGTGTC TTCCTGGGAG TATGGGTGTC 150 50 TTACCAGTTA CGCGGATAAA GGGGATAATG TTGGGAGTTC TCACCAGTCT 200

(B) TYPE: Nucleic Acid

	GÇT	GTGA/	AGG A	ACATO	GGA(GT C	ACGA	AGCA	3 TT	ract(GAGG	ACT	CGGA	GGT	250
	CAC	AAGC	AGG A	AGGA	GCCG	GG C	rgga(CAGC	G TT	AGCC'	rtgc	AGT	ragg <i>i</i>	AGA	300
5	AGC	ĄTGA(CCA (CGAG	GAGC	AA T	CTT	AGATO	G AG	GAGA	GGTG	AGG:	rtga <i>i</i>	AAG	350
	ATG	AGGA	GGA A	AATC	ATTG:	rc a	GCTG(GTAT:	r ccz	AGGA	ATTC	390			
	(2)	INFO	RMAT	ION I	FOR S	SEQ :	ID N	0:6:							
10	(:	•		NCE (7						
		(I	3) T	ENGTI	Amir	no Ad	cid	acı	as						
15	,			OPOLO				ano.	·	70. 6					
				NCE I								.	a	.	.
0.0	Ser 1	Pro	Ата	Pro	Pro 5	Ата	Cys	Asp	ьeu	Arg 10	vaı	ьeu	ser	rÀs	Leu 15
20	Leu	Arg	Asp	Ser		Val	Leu	His	Ser	_ =	Leu	Ser	Gln	Cys	Pro
	Cl.,	va 1	II i a	Dwo	20	Dro	Thr	Dro	17a l	25	Tou	Dro	ת ה	นาไ	30 Asp
25	GIU	Val	піз	PIO	35	PIO	1111	PIO	vai	40	пеп	PIO	Ala	vaı	45
	Phe	Ser	Leu	Gly	Glu 50	Trp	Lys	Thr	Gln	Met 55	Glu	Glu	Thr	Lys	Ala 60
30	Gln	Δan	Tle	T. 2 11		Δla	Val	Thr	T.e.u		T.e.u	Glu	Glv	Val	Met
30	0111	пор	110	БСС	65	7114	Vul	1111	Lea	70	Deu	Olu	Cly	val	75
	Ala	Ala	Arg	Gly	Gln 80	Leu	Gly	Pro	Thr	Cys 85	Leu	Ser	Ser	Leu	Leu 90
35	Glv	Gln	Leu	Ser		Gln	Val	Ara	Leu	Leu	Leu	Glv	Ala	Leu	Gln
	2				95			3		100		2			105
40	Ser	Leu	Leu	Gly	Thr 110	Gln	Leu	Pro	Pro	Gln 115	Gly	Arg	Thr	Thr	Ala 120
	His	Lys	Asp	Pro		Ala	Ile	Phe	Leu		Phe	Gln	His	Leu	Leu
		•	•		125					130					135
45	Arg	Gly	Lys	Val	Arg 140	Phe	Leu	Met	Leu	Val 145	Gly	Gly	Ser	Thr	Leu 150
	Cys	Val	Arq	Arg		Pro	Pro	Thr	Thr		Val	Pro	Ser	Arq	Thr
50	-		J	J	155					160				J	165
	Ser	Leu	Val	Leu	Thr 170	Leu	Asn	Glu	Leu	Pro 175	Asn	Arg	Thr	Ser	Gly 180

	Leu	Leu	Glu	Thr	Asn 185	Phe	Thr	Ala	Ser	Ala 190	Arg	Thr	Thr	Gly	Ser 195
5	Gly	Leu -	Leu	Lys	Trp 200	Gln	Gln	Gly	Phe	Arg 205	Ala	Lys	Ile	Pro	Gly 210
	Leu	Leu	Asn	Gln	Thr 215	Ser	Arg	Ser	Leu	Asp 220	Gln	Ile	Pro	Gly	Tyr 225
10	Leu	Asn	Arg	Ile	His 230	Glu	Leu	Leu	Asn	Gly 235	Thr	Arg	Gly	Leu	Phe 240
1.5	Pro	Gly	Pro	Ser	Arg 245	Arg	Thr	Leu	Gly	Ala 250	Pro	Asp	Ile	Ser	Ser 255
15	Gly	Thr	Ser	Asp	Thr 260	Gly	Ser	Leu	Pro	Pro 265	Asn	Leu	Gln	Pro	Gly 270
20	Tyr	Ser	Pro	Ser	Pro 275	Thr	His	Pro	Pro	Thr 280	Gly	Gln	Tyr	Thr	Leu 285
	Phe	Pro	Leu	Pro	Pro 290	Thr	Leu	Pro	Thr	Pro 295	Val	Val	Gln	Leu	His 300
25	Pro	Leu	Leu	Pro	Asp 305	Pro	Ser	Ala	Pro	Thr 310	Pro	Thr	Pro	Thr	Ser 315
	Pro	Leu	Leu	Asn	Thr 320	Ser	Tyr	Thr	His	Ser 325	Gln	Asn	Leu	Ser	Gln 330
30	Glu	Gly 332													
35					FOR S										
	(:	(1	A) LI 3) T	ENGTI YPE :	CHARA H: 16 Amir	56 ar	nino cid		ds						
40	(x :	•			OGY: DESCI			SEQ	ID 1	NO:7	:				
	Ala 1	Pro	Pro	Arg	Leu 5	Ile	Cys	Asp	Ser	Arg 10	Val	Leu	Glu	Arg	Tyr 15
45	Leu	Leu	Glu	Ala	Lys 20	Glu	Ala	Glu	Asn	Ile 25	Thr	Thr	Gly	Cys	Ala 30
50	Glu	His	Cys	Ser	Leu 35	Asn	Glu	Asn	Ile	Thr 40	Val	Pro	Asp	Thr	Lys 45
	Val	Asn	Phe	Tyr	Ala	Trp	Lys	Arg	Met	Glu	Val	Gly	Gln	Gln	Ala

•	•	50	55	60
-	Val Glu Val Trp (Gln Gly Leu 65	Ala Leu Leu Sei 70	Glu Ala Val Leu 75
5	Arg Gly Gln Ala	Leu Leu Val 80	Asn Ser Ser Glr 85	n Pro Trp Glu Pro 90
10	Leu Gln Leu His	Val Asp Lys 95	Ala Val Ser Gly	Leu Arg Ser Leu 105
		Arg Ala Leu 110	Gly Ala Gln Lys 115	Glu Ala Ile Ser 120
15	-	Ala Ser Ala 125	Ala Pro Leu Aro	g Thr Ile Thr Ala 135
20	-	Lys Leu Phe 140	Arg Val Tyr Sen 145	Asn Phe Leu Arg 150
20		Leu Tyr Thr 155	Gly Glu Ala Cys 160	s Arg Thr Gly Asp 165
25	Arg 166			
	(2) INFORMATION FO	OR SEQ ID NO):8:	
30	(A) LENGTH (B) TYPE: I (C) STRANDI	HARACTERISTI : 1443 base Nucleic Acio EDNESS: Sing GY: Linear	pairs l	
35	(xi) SEQUENCE DI	ESCRIPTION:	SEQ ID NO:8:	
	GAGTCCTTGG CCCAC	CTCTC TCCCA	CCCGA CTCTGCCGAA	A AGAAGCACAG 50
40	AAGCTCAAGC CGCCT	CCATG GCCCC	AGGAA AGATTCAGGO	G GAGAGGCCCC 100
	ATACAGGGAG CCACT	TCAGT TAGACA	ACCCT GGCCAGA	ATG GAG 143 Met Glu -21 -20
45	CTG ACT GAT TTG (Leu Thr Asp Leu l			
50	GCA AGA CTA ACT (Ala Arg Leu Thr I			Ala Cys

		CTC Leu					260
5		AGC Ser					299
10		ATC Ile					338
15		GAA Glu 50					377
20		ATT Ile					416
20		GCA Ala					455
25		CTC Leu					494
30		GGG Gly					533
35		ACA Thr 115					572
4.0	 	 CAA Gln	 	 	 	 	 611
40		GTA Val					650
45		ACC Thr					689
50		CTA Leu					728

		ACG Thr 180						767
5 .		CTT Leu						806
10		CCT Pro						845
15		ATC Ile						884
20		GGA Gly						923
20		CTG Leu 245						962
25		GGC Gly						1001
30		TCT Ser						1040
35		CCT Pro						1079
4.0		CAG Gln						1118
40		CCT Pro 310						1157
45		CAT His				Thr	TAGO	CGC 1199
50		C CAC						CT 1290

AAAATTTTAG GAGCTATTTT TTTTTAACCT ATCAGCAATA TTCATCAGAG 1390 5 CAGCTAGCGA TCTTTGGTCT ATTTTCGGTA TAAATTTGAA AATCACTAAT 1440 TCT 1443 (2) INFORMATION FOR SEQ ID NO:9: 10 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 352 amino acids (B) TYPE: Amino Acid (D) TOPOLOGY: Linear 15 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9: Met Glu Leu Thr Asp Leu Leu Leu Ala Ala Met Leu Leu Ala Val -21 -20 20 Ala Arg Leu Thr Leu Ser Ser Pro Val Ala Pro Ala Cys Asp Pro Arq Leu Leu Asn Lys Leu Leu Arq Asp Ser His Leu Leu His Ser 25 10 Arg Leu Ser Gln Cys Pro Asp Val Asp Pro Leu Ser Ile Pro Val Leu Leu Pro Ala Val Asp Phe Ser Leu Gly Glu Trp Lys Thr Gln 30 Thr Glu Gln Ser Lys Ala Gln Asp Ile Leu Gly Ala Val Ser Leu 35 Leu Leu Glu Gly Val Met Ala Ala Arg Gly Gln Leu Glu Pro Ser 70 Cys Leu Ser Ser Leu Leu Gly Gln Leu Ser Gly Gln Val Arg Leu 40 Leu Leu Gly Ala Leu Gln Gly Leu Leu Gly Thr Gln Gly Arg Thr Thr Ala His Lys Asp Pro Asn Ala Leu Phe Leu Ser Leu Gln Gln 45 115 120 125 Leu Leu Arg Gly Lys Val Arg Phe Leu Leu Val Glu Gly Pro 130 50

GCTTTCACCT AAAAGGCCCT GGGGAAGGGA TACACAGCAC TGGAGATTGT 1340

155

Thr Leu Cys Val Arg Arg Thr Leu Pro Thr Thr Ala Val Pro Ser

150

145

	Ser 160	Thr	Ser	Gln	Leu	Leu 165	Thr	Leu	Asn	Lys	Phe 170	Pro	Asn	Arg	Thr
5	Ser 175	_	Leu	Leu	Glu	Thr 180	Asn	Phe	Ser	Val	Thr 185	Ala	Arg	Thr	Ala
	Gly 190	Pro	Gly	Leu	Leu	Ser 195	Arg	Leu	Gln	Gly	Phe 200	Arg	Val	Lys	Ile
10	Thr 205	Pro	Gly	Gln	Leu	Asn 210	Gln	Thr	Ser	Arg	Ser 215	Pro	Val	Gln	Ile
15	Ser 220	Gly	Tyr	Leu	Asn	Arg 225	Thr	His	Gly	Pro	Val 230	Asn	Gly	Thr	His
15	Gly 235	Leu	Phe	Ala	Gly	Thr 240	Ser	Leu	Gln	Thr	Leu 245	Glu	Ala	Ser	Asp
20	Ile 250	Ser	Pro	Gly	Ala	Phe 255	Asn	Lys	Gly	Ser	Leu 260	Ala	Phe	Asn	Leu
	Gln 265	Gly	Gly	Leu	Pro	Pro 270	Ser	Pro	Ser	Leu	Ala 275	Pro	Asp	Gly	His
25	Thr 280	Pro	Phe	Pro	Pro	Ser 285	Pro	Ala	Leu	Pro	Thr 290	Thr	His	Gly	Ser
30	Pro 295	Pro	Gln	Leu	His	Pro 300	Leu	Phe	Pro	Asp	Pro 305	Ser	Thr	Thr	Met
30	Pro 310	Asn	Ser	Thr	Ala	Pro 315	His	Pro	Val	Thr	Met 320	Tyr	Pro	His	Pro
35	Arg 325	Asn	Leu	Ser	Gln	Glu 330		٠							
	(2)	INFO	RMAT:	ON E	FOR S	SEQ]	D NO	0:10	:						
40	(:	(I	A) LI 3) Ti	ENGTI PE :	I: 33 Amir	ACTER 31 am 10 Ac Line	nino cid		ls						
45	(x :	i) si	EQUE	ICE I	DESC	RIPTI	ON:	SEQ	ID N	10:10):				
43	Ser 1	Pro	Val	Ala	Pro 5	Ala	Cys	Asp	Pro	Arg 10	Leu	Leu	Asn	Lys	Leu 15
50	Leu	Arg	Asp	Ser	His 20	Leu	Leu	His	Ser	Arg 25	Leu	Ser	Gln	Cys	Pro 30
	Asp	Val	Asp	Pro	Leu	Ser	Ile	Pro	Val	Leu	Leu	Pro	Ala	Val	Asp

	•				35					40					45
_	Phe	Ser	Leu	Gly	Glu 50	Trp	Lys	Thr	Gln	Thr 55	Glu	Gln	Ser	Lys	Ala 60
5	Gln.	Asp	Ile	Leu	Gly 65	Ala	Val	Ser	Leu	Leu 70	Leu	Glu	Gly	Val	Met 75
10	Ala	Ala	Arg	Gly	Gln 80	Leu	Glu	Pro	Ser	Cys 85	Leu	Ser	Ser	Leu	Leu 90
	Gly	Gln	Leu	Ser	Gly 95	Gln	Val	Arg	Leu	Leu 100	Leu	Gly	Ala	Leu	Gln 105
15	Gly	Leu	Leu	Gly	Thr 110	Gln	Gly	Arg	Thr	Thr 115	Ala	His	Lys	Asp	Pro 120
20	Asn	Ala	Leu	Phe	Leu 125	Ser	Leu	Gln	Gln	Leu 130	Leu	Arg	Gly	Lys	Val 135
20	Arg	Phe	Leu	Leu	Leu 140	Val	Glu	Gly	Pro	Thr 145	Leu	Cys	Val	Arg	Arg 150
25	Thr	Leu	Pro	Thr	Thr 155	Ala	Val	Pro	Ser	Ser 160	Thr	Ser	Gln	Leu	Leu 165
	Thr	Leu	Asn	Lys	Phe 170	Pro	Asn	Arg	Thr	Ser 175	Gly	Leu	Leu	Glu	Thr 180
30	Asn	Phe	Ser	Val	Thr 185	Ala	Arg	Thr	Ala	Gly 190	Pro	Gly	Leu	Leu	Ser 195
35	Arg	Leu	Gln	Gly	Phe 200	Arg	Val	Lys	Ile	Thr 205	Pro	Gly	Gln	Leu	Asn 210
33	Gln	Thr	Ser	Arg	Ser 215	Pro	Val	Gln	Ile	Ser 220	Gly	Tyr	Leu	Asn	Arg 225
40	Thr	His	Gly	Pro	Val 230	Asn	Gly	Thr	His	Gly 235	Leu	Phe	Ala	Gly	Thr 240
	Ser	Leu	Gln	Thr	Leu 245	Glu	Ala	Ser	Asp	Ile 250	Ser	Pro	Gly	Ala	Phe 255
45	Asn	Lys	Gly	Ser	Leu 260	Ala	Phe	Asn	Leu	Gln 265	Gly	Gly	Leu	Pro	Pro 270
50	Ser	Pro	Ser	Leu	Ala 275	Pro	Asp	Gly	His	Thr 280	Pro	Phe	Pro	Pro	Ser 285
50	Pro	Ala	Leu	Pro	Thr 290	Thr	His	Gly	Ser	Pro 295	Pro	Gln	Leu	His	Pro 300

	Leu Phe Pro Asp Pro Ser Thr Thr Met Pro Asn Ser Thr Ala Pro 305 310 315
5	His Pro Val Thr Met Tyr Pro His Pro Arg Asn Leu Ser Gln Glu 320 325 330
	Thr ³ 331
10	(2) INFORMATION FOR SEQ ID NO:11:
15	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 26 amino acids(B) TYPE: Amino Acid(D) TOPOLOGY: Linear
13	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:
	Ser Pro Ala Pro Pro Ala Cys Asp Pro Arg Leu Leu Asn Lys Leu
20	1 5 10 15 And the tree and tree a
	Leu Arg Asp Asp Xaa Val Leu His Gly Arg Leu 20 25 26
25	(2) INFORMATION FOR SEQ ID NO:12:
30	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 25 amino acids(B) TYPE: Amino Acid(D) TOPOLOGY: Linear
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:
35	Ser Pro Ala Pro Pro Ala Xaa Asp Pro Arg Leu Leu Asn Lys Leu 1 5 10 15
	Leu Arg Asp Asp His Val Leu His Gly Arg 20 25
40	(2) INFORMATION FOR SEQ ID NO:13:
45	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 14 amino acids(B) TYPE: Amino Acid(D) TOPOLOGY: Linear
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:
50	Xaa Pro Ala Pro Pro Ala Xaa Asp Pro Arg Leu Xaa Asn Lys 1 5 10 14
	(2) INFORMATION FOR SEQ ID NO:14:

	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 9 amino acids(B) TYPE: Amino Acid(D) TOPOLOGY: Linear
5	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:
10	Pro Arg Leu Leu Asn Lys Leu Leu Arg 1 5 9
10	(2) INFORMATION FOR SEQ ID NO:15:
15	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 45 base pairs(B) TYPE: Nucleic Acid(C) STRANDEDNESS: Single(D) TOPOLOGY: Linear
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:
	GCCGTGAAGG ACGTGGTCGT CACGAAGCAG TTTATTTAGG AGTCG 45
25	(2) INFORMATION FOR SEQ ID NO:16:
30	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 20 base pairs(B) TYPE: Nucleic Acid(C) STRANDEDNESS: Single(D) TOPOLOGY: Linear
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:
35	CCNGCNCCNC CNGCNTGYGA 20
	(2) INFORMATION FOR SEQ ID NO:17:
40	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 21 base pairs(B) TYPE: Nucleic Acid(C) STRANDEDNESS: Single(D) TOPOLOGY: Linear
45	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:
	NCCRTGNARN ACRTGRTCRT C 21
50	(2) INFORMATION FOR SEQ ID NO:18:
	(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 69 base pairs (B) TYPE: Nucleic Acid (C) STRANDEDNESS: Double (D) TOPOLOGY: Linear 5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:18: CCAGCGCCGC CAGCCTGTGA CCCCCGACTC CTAAATAAAC TGCCTCGTGA 50 10 TGACCACGTT CAGCACGGC 69 (2) INFORMATION FOR SEQ ID NO:19: 15 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 69 base pairs (B) TYPE: Nucleic Acid (C) STRANDEDNESS: Double (D) TOPOLOGY: Linear 20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19: CCAGCACCTC CGGCATGTGA CCCCCGACTC CTAAATAAAC TGCTTCGTGA 50 25 CGACCACGTC CATCACGGC 69 (2) INFORMATION FOR SEQ ID NO:20: 30 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 69 base pairs (B) TYPE: Nucleic Acid (C) STRANDEDNESS: Double (D) TOPOLOGY: Linear 35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:20: CCAGCACCGC CGGCATGTGA CCCCCGACTC CTAAATAAAC TGCTTCGTGA 50 40 CGATCATGTC TATCACGGT 69 (2) INFORMATION FOR SEQ ID NO:21: 45 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 37 base pairs (B) TYPE: Nucleic Acid (C) STRANDEDNESS: Single (D) TOPOLOGY: Linear 50 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

GCTAGCTCTA GAAATTGCTC CTCGTGGTCA TGCTTCT 37 (2) INFORMATION FOR SEQ ID NO:22: (i) SEQUENCE CHARACTERISTICS: 5 (A) LENGTH: 22 base pairs (B) TYPE: Nucleic Acid (C) STRANDEDNESS: Single (D) TOPOLOGY: Linear 10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:22: CAGTCTGCCG TGAAGGACAT GG 22 15 (2) INFORMATION FOR SEQ ID NO:23: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 23 amino acids 20 (B) TYPE: Amino Acid (D) TOPOLOGY: Linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:23: 25 Ser Pro Ala Pro Pro Ala Cys Asp Leu Arg Val Leu Ser Lys Leu 10 Leu Arg Asp Ser His Val Leu His 20 30 (2) INFORMATION FOR SEQ ID NO:24: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 23 amino acids 35 (B) TYPE: Amino Acid (D) TOPOLOGY: Linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:24: 40 Ser Arg Leu Ser Gln Cys Pro Glu Val His Pro Leu Pro Thr Pro 10 Val Leu Leu Pro Ala Val Asp Phe 20 23 45 (2) INFORMATION FOR SEQ ID NO:25: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 23 amino acids (B) TYPE: Amino Acid 50 (D) TOPOLOGY: Linear

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:
_	Ser Leu Gly Glu Trp Lys Thr Gln Met Glu Glu Thr Lys Ala Gln 1 5 10 15
5	Asp Ile Leu Gly Ala Val Thr Leu 20 23
10	(2) INFORMATION FOR SEQ ID NO:26:
10	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 20 amino acids(B) TYPE: Amino Acid(D) TOPOLOGY: Linear
15	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:
20	Leu Leu Glu Gly Val Met Ala Ala Arg Gly Gln Leu Gly Pro Thr 1 5 10 15
20	Cys Leu Ser Ser Leu 20
25	(2) INFORMATION FOR SEQ ID NO:27:
	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 18 amino acids(B) TYPE: Amino Acid(D) TOPOLOGY: Linear
30	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:
35	Leu Gly Gln Leu Ser Gly Gln Val Arg Leu Leu Gly Ala Leu 1 5 10 15
	Gln Ser Leu 18
4.0	(2) INFORMATION FOR SEQ ID NO:28:
40	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 21 amino acids(B) TYPE: Amino Acid(D) TOPOLOGY: Linear
45	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:
50	Leu Gly Thr Gln Leu Pro Pro Gln Gly Arg Thr Thr Ala His Lys 1 5 10 15
J.	Asp Pro Asn Ala Ile Phe 20 21

5	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 25 amino acids(B) TYPE: Amino Acid(D) TOPOLOGY: Linear
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:
10	Leu Ser Phe Gln His Leu Leu Arg Gly Lys Val Arg Phe Leu Met 1 5 10
15	Leu Val Gly Gly Ser Thr Leu Cys Val Arg 20 25
	(2) INFORMATION FOR SEQ ID NO:30:
20	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 25 amino acids(B) TYPE: Amino Acid(D) TOPOLOGY: Linear
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:
25	Ser Pro Ala Pro Pro Ala Cys Asp Pro Arg Leu Leu Asn Lys Leu 1 5 10
30	Leu Arg Asp Asp His Val Leu His Gly Arg 20 25

(2), INFORMATION FOR SEQ ID NO:29: